



LOGIPIX

www.logipix.com logipix@smp.hu

IP based Video Surveillance Systems

Ranging from 2MP to 150MP

### Stitched Panoramic Image

Several cameras are used to create one image

### Fastest Industrial NVR

Up to 80Tbyte storage capacity

### Intelligent Video Content Analysis

For the fastest way to locate incidents

### Open System Architecture

Compliant with the ONVIF standard

Munical FOCAL



# REFERENCES

### Stadium Video Surveillance

Szusza Ferenc Stadium, Hungary Győri ETO Stadium, Hungary Pancho Arena, Hungary Borisov Stadium - FC BATE Barysaw, Belarus Bath Rugby Stadium, UK Olympic Stadium, Cairo ZTE Arena, Hungary

### **City Surveillance**

Sukoró, Hungary Port Said, Egypt Luxor, Egypt Sharm El Sheik, Egypt Budaörs, Hungary Siófok, Hungary

### Surveillance of Industrial Sites

Samsung Hungary Flextronics Procter & Gamble Reckitt Benckiser Alcoa Ózd Metallurgical Works Seal

### **Traffic Enforcement**

Centre of Budapest Transport (WALK-DVR System in buses) Stadler AG (WALK-DVR System in railcars) Hungarian State Railways Co. (WALK-DVR System in railcars)



## **Special Applications**

#### LOGIPIX Video Surveillance Systems for Stadiums

Face recognition available at each seat in both live and archive mode Individually installed Multi-Megapixel LOGIPIX cameras Stitched panoramic images in 240MP resolution Full HD PTZ cameras are linked to the panoramic system PTZ control on the panoramic image Full HD cameras All details monitored in high resolution No hidden or duplicated areas The MultiZoom function is available on the stitched camera picture

### **City Surveillance**

Several 15MP LOGIPIX cameras can replace hundreds of analogue ones Detect public property damage Detect abandoned objects





### Surveillance of Industrial Sites

Up to 5,000 sites can be organized on the multi-level map Using I 5MP cameras with I Tbyte local storage Integrated Intruder Alarm functions Integrated Access Control functions Centralized alarm and video management Operation over the GSM network




### Traffic Enforcement

Red Line Module Stopline Detect traffic rule violations Parking lot application









## Video System Features

#### High Quality Video Surveillance

2MP-150MP H.264 and JPEG2000 image compression Designed to work over a low bandwidth

#### **LOGIPIX** Cameras

Basic camera series with Full HD resolution 5MP cameras 9.1MP fixed cameras 15MP cameras (to survey larger areas) LOGIPIX ONE, the new 14.2MP camera with 1 inch sensor being released soon 150MP Panoramic Cameras PTZ cameras with Full HD resolution Auto Back Focus SATA interface with a built-in NVR function, and up to 1 Tbyte local storage

#### High Performance NVR

16-32 LOGIPIX cameras Built-in high capacity RAID, 80 Tbyte/1600/Mbit/sec Built-in high performance managed UPS/1kwh Built-in managed LPoE router supplies the camera over CAT5 Managed VLAN, cameras are isolated from the company network Industrial design and operation 24/7

#### Video Management Software – The Control Center


Server – client architecture User-friendly interface Fully compatible with the ONVIF standard Stitched panoramic images, with up to 1 Gpx displayed on a single screen LogiZoom ensures cost effective bandwidth management Touchscreen gesture control for PTZ Quick incident review Efficient and versatile archive playback





#### ONVIF

Seamless integration with other ONVIF cameras Connect third-party ONVIF cameras using the LOGIPIX NVR and the Control Center Use third-party VMS to manage LOGIPIX subsystems ONVIF 2.0 for live and archived images



### Intelligent Picture Transmission with the LogiZoom Function

LogiZoom is a unique recorder side, zoom function that delivers high quality images over a low bandwidth. It is an extremely cost effective function as it only sends the actually required picture area in high resolution, with the rest of the image being sent in a lower resolution.





X 25 KB/frame + 25 KB/frame Logi-Zoom







### Compression for Multi-Megapixel Cameras – JPEG2000

Developed for high resolution images Provides high quality images whilst keeping the file sizes small Flexible bandwidth management Wavelet based image compression

### Stitched Panoramic Image

Several cameras are used to create one image No redundant areas All critical areas are monitored Movements can be tracked seamlessly View several high-resolution zoomed areas on a single panoramic image





## LOGIPIX Hardware Elements

### LOGIPIX 15MP D/N ABF SATA

ICR function for switching between night and day mode 4608x3288 pixels, JPEG2000 compression LpoE power over Ethernet Auto Back Focus function Local I Tbyte storage SATA HDD



### LOGIPIX 15 ABF DOME



ICR function for switching between night and day mode 4608x3288 pixels, JPEG 2000 compression Heating and cooling powered by the LPoE Auto Back Focus function IP 65 metal housing

#### LOGIPIX PTZ Cameras

Unique image processor developed by our engineers Full HD resolution H.264 and JPEG2000 compression standards Long range varifocal lenses for up to 30x optical zoom Touchscreen gesture control Highly accurate and incredibly fast positioning system LPR and face recognition up to 600 meters



### LOGIPIX Panoramic Cameras

Up to ten integrated 15MP LOGIPIX cameras Panoramic image with variable field of view Synchronized pictures No duplicated or hidden objects on the image Available with the MultiZoom function



#### LOGIPIX FULL HD Cameras

Entry level camera series H.264 compression standards Transmission over low bandwidth networks Available in different models: box, dome and bullet



#### LOGIPIX 5MP Cameras



H.264 compression standards Recommended for monitoring medium to large areas Transmission over low bandwidth networks

### LOGIPIX Network Video Recorder- The LNVR

Box or rack mounted design Intelligent picture transmission Can manage up to a 32 high-resolution 15MP cameras Up to 80Tbyte storage capacity 1600 Mbit/sec recording speed VRM fail-safe file system Built-in managed 16+2 port LPoE router OLED screen for displaying LNVR status information



### LOGIPIX Hybrid Extender

Seamless integration of analogue cameras into the LOGIPIX system Connect up to 24 analogue cameras JPEG2000 compression standards Box or rack mounted design Two channel LPoE connection Storage on the LNVR





## End to end multi megapixel solution



3

1



# Products are distributed by:

**SMP Kft.** 1139 Fiastyúk utca 71. Hungary logipix@smp.hu